



Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), UTTAR PRADESH)

To,

The owner  
BERGER PAINTS INDIA LIMITED  
Berger House, 129, Park Street, Kolkata, WB. -700017

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/UP/IND3/408462/2022 dated 01 Dec 2022. The particulars of the environmental clearance granted to the project are as below.

- |  |  |
|--|--|
| 1. EC Identification No.                   | EC24B023UP174418   |
| 2. File No.                                | 7415-6477  |
| 3. Project Type                            | Expansion  |
| 4. Category                                | B  |
| 5. Project/Activity including Schedule No. | 5(h) Integrated paint industry   |
| 6. Name of Project                         | Expansion of Integrated Paints Plant at Plot no. B4 & B5, Sandila Industrial Area, Dist. Hardoi, Uttar Pradesh |
| 7. Name of Company/Organization            | BERGER PAINTS INDIA LIMITED  |
| 8. Location of Project                     | UTTAR PRADESH  |
| 9. TOR Date                                | N/A  |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 03/07/2024

(e-signed)  
Sanjeev Kumar Singh (IFS)  
Member Secretary  
SEIAA - (UTTAR PRADESH)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,  
and Virtuous Environmental Single-Window Hub)





## State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010

E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com

Phone no- 0522-2300541

**Reference- MoEFCC Proposal no- SIA/UP/IND3/408462/2022 & SEIAA, U.P. & File no-7415-6477**

**Sub: Environmental Clearance for Expansion of Integrated Paint Plant at Plot No.-B4 & B5 Sandila Industrial Area, District- Hardoi, U.P., U.P., M/s Berger Paints India Ltd.**

Dear Sir,

This is with reference to your application / letter dated 01-12-2022, 31-07-2023, 08-12-2023, 06-01-2023, 19-02-2024 on above mentioned subject. The matter was considered by 715<sup>th</sup> SEAC in meeting held on 06-01-2023 & 856<sup>th</sup> SEAC in meeting held on 27-05-2024 and 821<sup>st</sup> SEIAA meeting held on 19-06-2024.

A presentation was made by the project proponent along with their consultant M/s Kadam Environmental Consultants to SEAC on 27-05-2024.

### **Project Details Informed by the Project Proponent and their Consultant**

The project proponent, through the documents and presentation gave following details about their project –

1. The environmental clearance is sought for Expansion of Integrated Paint Plant at Plot No.-B4 & B5 Sandila Industrial Area, District- Hardoi, U.P., U.P., M/s Berger Paints India Ltd.
2. Environmental clearance for the existing plant was issued by SEIAA, U.P. vide letter no. 96/Parya/SEIAA/4604/2019, dated 29/05/2020.
3. Certified compliance report for the existing proposal was issued by IRO, MoEFCC, Lucknow vide letter no. VII/Env/SCL-UP/2474/244 Dated 08/09/2022 and action taken report against 2 nos. of partly complied EC conditions has been submitted to IRO MoEFCC on 09/09/2022.
4. The standard terms of reference for the expansion project was issued through online Parivesh Portal on 11/08/2021.
5. Salient features of the project:

S. No.	Item	Details	
1.	Brief Description about Project	Berger Paints India Limited, proposed Brownfield Project is for Expansion of Integrated Paint Manufacturing Unit in Plot No B4 & B5, Sandila Industrial Area, District Hardoi, Uttar Pradesh	
2.	Proposed Production (Name and Capacity)		
3.	Location	Village	Som
		Taluka	Sandila
		District	Hardoi
		State	Uttar Pradesh
	The project is located in Sandila Industrial area		
4.	Total Area of Plot	1,45,407 sqm	
5.	Greenbelt Area	48010 sqm	
6.	Sources of Air & Noise Pollution	5 D.G. Sets (4 x 1500 kVA + 1 x 250 kVA) Steam Boiler, Thermic Fluid heater	
7.	Total Project Cost	INR ~ 400 Crore	

8.	EMP Cost	INR 15.9 Crore (Capital Cost) INR 0.585 Crore (Recurring Cost)
9.	CER Cost	INR 3 Crore (five years)
10.	Manpower	Construction: 1500 Nos. Operation: 350 persons Nos.
11.	Water Consumption/day	Total Consumption: 836 KLD ; Fresh water consumption: 836 KLD
12.	Waste water generation/day	Total: 159 KLD Domestic: 11 KLD Industrial: 148 KLD
13.	Source of water	Ground water
14.	Permission from CGWA or any other agency	Permission obtained for 840 KLD from UPGWD
15.	Treatment Facility	Primary, Secondary, Tertiary ETP (Capacity: 170 KLD) with STP (Capacity: 30 KLD) Handling & ZLD system
16.	Mode of Discharge	ZLD along with RO, MEE/MVR and ATFD System & treated Domestic waste water will be used for gardening
17.	Energy Consumption	Peak Demand: ~ 5140 KVA and no additional power required
18.	Kind of Fuel	HSD/Biomass
19.	Solid / Hazardous Waste Management	Hazardous solid wastes like ETP Sludge, residue, process waste, Spent Solvent, will be collected in bags/barrels and will be sent to TSDF/authorized recycler/co-processor. Used/spent oil, and discarded Container/drum will be stored at designated area in the plant and will be sent to authorized recycler. Solid wastes like wooden, MS scrap; plastic & Gunny bags, paper bags and miscellaneous garbage will be collected in scrap yard and will be sent to authorized recyclers.
20.	Rain water Harvesting	Rainwater will be harvested in the storage tanks build with capacity to store Maximum rooftop water which will be collected and further reused inside the plant for gardening/plant operations
21.	Safety	State of art firefighting system is being installed with Fire Hydrant, Hose Reel, Automatic Fire Detection and Protection, Foam & Water Sprinkler, Water cum Foam monitor etc

6. Area breakup of the project:

S. No.	Title	Area, m <sup>2</sup>	% of total Area
1	Process area	72032.5	49.53
2	Storage area	9690.59	6.66
3	Waste water treatment plant (ETP & STP)	1600	1.1
4	Utilities	7825.39	5.38
5	Admin Building, security cabin	1206.5	0.83
6	Greenbelt area	48010	33.01
7	Open Area	5042	3.47
Total		Total	145407

7. Product details:

S. No.	Name of Products	Unit	Production capacity		
			Existing	Additional	Total
1	Water Based Paints	KL/MT/Annum	1,32,000	48000	1,80,000
2	Solvent based paints	KL/Annum	69,000	-	69,000
3	Powder Putty	MT/ Annum	60,000	24,000	84,000
4	Emulsion for Water Base Paints	MT/ Annum	60,000	12,000	72,000
5	Resin for Liquid Solvent Base Paints	MT/ Annum	48,000	-	48,000

8. Water consumption details for Existing and Proposed Unit:

Sr. No.	Description	Existing Water Consumption (KLD)	Proposed Additional Water Consumption (KLD)	Total water Consumption (KLD)	Remarks
1	Softener Regeneration	13	12	25	
2	Process (Water Base Plant)	132	162	294	
3	Process (Construction chemicals)	0	66	66	
4	Reactor & Blender Washing (Emulsion & Resin Plant)	4	1	5	
5	Equipment washing (Water Base Plant)	6	2	8	Reused water
6	Boiler	18	0	18	
7	Cooling Tower	316	0	198	The overall consumption has decreased due to use of efficient and smart cooling tower
8	HVAC & Chilling Plant	66	0	9	The overall consumption has decreased as instead of mechanical HVAC system, we are going for natural ventilation system and will use efficient Chilling Plants
9	DM Water regeneration	5	34	39	
10	Process(Emulsion) – DM Water	125	32	157	
11	Process (Resin Plant)	0	0	0	
12	Washing (QA Lab and Storage tank )	4	2	6	
13	Scrubber	1	0	1	
14	Floor Washing & Dust	3	0	3	Reused water

	Suppression				
15	Fire Fighting	1	0	1	Reused water
16	Domestic	8	10	18	
17	Gardening	130	17	147	Partly reused water
18	Total Water Consumption	832	338	995	
19	Recycled water from recycling ETP & STP	113	58	159	
20	Fresh Water Consumption	719	275	836	

9. Wastewater Generation from Existing and Proposed Unit:

Sr. No.	Description	Existing Wastewater Generation (KLD)	Proposed wastewater generation (KLD)	Total wastewater Generation (KLD)	Effluent Treatment and Disposal Facility
1	Softener Regeneration	13	12	25	Effluent to be treated in ETP and treated water will be reused in plant
2	Process (Water Base Plant)	0	0	0	
3	Process (Construction chemicals)	0	0	0	
4	Reaction Washing (Emulsion Plant and Resin Plant)	4	1	5	
5	Equipment washing (Water Base Plant)	6	2	8	
6	Boiler	1	0	1	
7	Cooling Tower	41	0	26	
8	HVAC & Chilling Plant	1	0	1	
9	DM Plant Rejection	5	34	39	
10	Process(Emulsion)	25	7	32	
11	Process (Resin Plant)	7	0	4	
12	Washing (QA Lab and Storage tank )	4	2	6	
13	Scrubber	1	0	1	
14	Floor Washing & Dust Suppression	0	0	0	
15	Fire Fighting	0	0	0	
16	Domestic	5	0	11	Sewage to be treated in STP and treated water reuse for gardening
17	Gardening	0	0	0	
18	Recycled water from recycling ETP & STP	113	58	159	

10. Green belt development plan:

S. No	Work or Activity	1 <sup>st</sup> year	2 <sup>nd</sup> Year	3 <sup>rd</sup> Year	4 <sup>th</sup> Year	5 <sup>th</sup> Year	Capital cost (INR)	Recurring cost/year (INR)

								(considering 20% mortality rate)
1	Proposed plantation within Project boundary, totally 7, 185 saplings will be planted (Approx. Cost @ INR 100 per sapling / plant)							
Saplings Required	1437	1437	1437	1437	1437	1437	7,18,500/-	71,850
Amount	143700	143700	143700	143700	143700			
2	Maintenance of Greenbelt within project premises includes periphery plantation, road side plantation and plantation around various buildings, totally 7,185 trees							20,000 (approx.)
Total Budget							7,18,500/-	91,850

11. The project proposal falls under category–5(h) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 27-05-2024 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 19-06-2024 discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions: -

**Specific Conditions:-**

1. Plantation should be done as per Miyawaki method i.e. planting different types of trees at very close intervals which give a good green cover. A total of 33% of the plot area should be designated for green belt which should be raised along the boundaries of the plot with minimum of 03 mt width along the periphery in organized manner. Existing plantation and proposed plantation report to be submitted
2. Project proponent is advised to explore the possibility and getting the cement in container rather through the plastic bag.
3. Project proponent should ensure that there will be no use of “Single use of Plastic” (SUP) and submit the compliance report regularly.
4. Project proponent should adhere to the compliance for expansion as per the plan submitted to the committee and also comply the CSR/EMP compliance in time bound manner.
5. Proponent should submit compliance of Environmental clearance conditions regularly as per the MoEF EIA notification 2006 (as amended) to the concerned authority and Directorate of Environment Lucknow, UP along with the existing plant EC which was issued by SEIAA, U.P. vide letter no. 96/Parya/SEIAA/4604/2019, dated 29/05/2020.
6. Plan for temporary storage facility for hazardous waste and the captive facility for treatment and disposal in its industrial unit to be incorporated. The location and area of the facility in the layout plan to be allocated for proper disposal of hazardous waste.
7. Plan for conservation of water and to replenish ground water resources of area, rainwater harvesting system as well as recharging system to be prepared and adopted..
8. Plan for dual pipeline network in the project for utilisation of treated water of STP and CETP for different purposes and also adopt the monitoring mechanism for the same.

**Standard Environmental Clearance Conditions prescribed by MoEF&CC:**

*1. Statutory compliance:*

1. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.

2. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
  3. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule species in the study area).
  4. The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
  5. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
  6. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989
2. *Air quality monitoring and preservation:*
1. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
  2. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
  3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2s in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
  4. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and /or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
  5. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
  6. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July , 2010 and amended from time to time shall be followed.
  7. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
3. *Water quality monitoring and preservation:*
1. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying

- effluent within the premises (applicable in case of the projects achieving ZLD)
2. As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
  3. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
  4. Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
  5. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
  6. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
  7. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
4. *Noise monitoring and prevention :*
1. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
  2. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
  3. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during nighttime
5. *Energy Conservation measures:*
1. The energy sources for lighting purposes shall preferably be LED based.
6. *Waste management:*
1. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
  2. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
  3. The company shall undertake waste minimization measures as below:-
    - a. Metering and control of quantities of active ingredients to minimize waste.
    - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
    - c. Use of automated filling to minimize spillage.
    - d. Use of Close Feed system into batch reactors.
    - e. Venting equipment through vapour recovery system.
    - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation
7. *Green Belt:*
1. The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in



consultation with the State Forest Department.

8. *Safety, public hearing and human health issues:*

1. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
2. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
3. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
4. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
5. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
6. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
7. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places

9. *Corporate Environment Responsibility:*

1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.
2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements /deviation /violation of the environmental / forest /wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation/ violation of the environmental/ forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry /Regional Office along with the Six Monthly Compliance Report.
5. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

10. *Miscellaneous:*

1. The project proponent shall make public the environmental clearance granted for their

- project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent ' s website permanently.
2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies , Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
  3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
  4. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
  5. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
  6. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
  7. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
  8. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
  9. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
  10. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
  11. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  12. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
  13. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
  14. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  15. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

16. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Hardoi. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically be deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically be deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

**Copy, through email, for information and necessary action to –**

1. **Additional Chief Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – psforest2015@gmail.com)**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – sudheer.ch@gov.in)**
3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – rocz.lko -mef@nic.in)**
4. **District Magistrate, Hardoi.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.in)**
6. **Copy to Web Master for uploading on PARIVESH Portal.**
7. **Copy for Guard File.**

(Sanjeev Kumar Singh)  
Member Secretary, SEIAA

Signature Not Verified

Digitally signed by: Sanjeev Kumar Singh (IFS)  
Designation: Member Secretary  
Date and Time: 7/3/2024 3:36:17 PM